Power CaMa

CALCIUM NITRATE PLUS MAGNESIUM








6KG

30KG

IBC.



Increased photosynthetic activity and cellular respiration



S.W. 1.41	TECHNICAL SPECIFICATIONS			
	S.W.	1.41		
pH: 4.3	pH:	4.3		



Rapid lush plant growth and greening of tissues



Improvement of fruit quality characteristics (size, colour, texture, and shelf life)



Reduced cracking and increased assimilation of calcium



Conveyed and protected calcium supply, even at low temperatures

DOSAGE AND METHOD OF USE		Foliar application	Fertigation
CROPS	PHENOLOGICAL STAGE	DOSE g/hl	DOSE kg/ha
Stone and pome fruits	From post-fruit set to fruit growth	200-400	20-30
Citrus trees	From post-fruit set to fruit growth	200-400	20-30
Actinidia	From post-fruit set to fruit growth	200-400	20-30
Wine and table grapevines	From post-fruit set to grape berry growth	200-400	20-30
Olive and hazel trees	From post-fruit set to fruit growth	200-400	20-30
Fruiting vegetables	From post-fruit set to fruit growth	200-400	20-30
Leafy vegetables	Vegetative growth	200-400	15-25
Root, bulb, or tuber vegetables	Vegetative growth	200-400	15-25
Strawberries and small fruits	From post-fruit set to fruit growth	1	15-25

- NOTES: The dose is calculated based on a volume of spraying water of 8-10 hl/ha
 - Application is recommended in combination with Vegetal BetaPhos to increase calcium absorption and photosynthetic activity