

Power K

HIGH CONTENT OF POTASSIUM WITH EDTA



6KG



25KG



IBC



Increased brix rating and uniform fruit veraison



Reduced over-ripening and increased shelf life



Supply of chelated potassium in the absence of chloride

NUTRITIONAL COMPOSITION	%
Potassium oxide (K ₂ O), low chlorine content	30
EDTA	3

TECHNICAL SPECIFICATIONS	
S.W.	1.45
pH:	9.5

DOSAGE AND METHOD OF USE		Foliar application
CROPS	PHENOLOGICAL STAGE	DOSE g/hl
Stone and pome fruits	From fruit growth to veraison and ripening	300-500
Citrus trees	From fruit growth to veraison and ripening	300-500
Actinidia	From fruit growth to ripening	300-500
Wine and table grapevines	From grape berry growth to veraison and ripening	300-500
Olive and hazel trees	From fruit growth to ripening	300-500
Fruiting vegetables	From fruit growth to veraison and ripening	300-500
Strawberries and small fruits	From fruit growth to veraison and ripening	300-500
Tomatoes for industry	From fruit growth to veraison and ripening	300-500

- NOTES:**
- The dose is calculated based on a volume of spraying water of 8-10 hl/ha
 - In the case of calcareous waters, compatibility tests must first be carried out